## **TOWN OF VIENNA**

## **Request For Waiver**

Dept	Date	Dept I	Dept Head Signature Docusigned by: 06/07/22   10:35 AM E USLIL Human 2381787840E466.		Proposed Vendor	Amount		
P&R	06/07/2022	leslie He			OTIS ELEVATOR	\$ 4,063.20		
A Request For Waiver is required by the Town's Procurement Policies and Procedures. Check the box below that best applies.								
Sole Sour	ce/Proprietary	X	Emergency Procurement		Waive Purchase Proc	edures	<u>x</u>	

## CHECK JUSTIFICATION(S) BELOW THAT APPLY TO THE PROPOSED PURCHASE AND SUPPLY DOCUMENTATION/EXPLANATION AS REQUIRED

<u>X</u> 1.	Commodity/Service is from the original manufacturer or provider. There are no other distributors. (Findings must
	be documented below or attached)
2.	The product is an integral part of existing equipment. Other brands not interchangeable. (State manufacturer
	and model number of existing equipment below.)
3.	Only known product that meets the specialized needs of the department to bring about continuity of results.
	(Explain in detail below or attached)
4.	Staff has had extensive training and/or experience with the product. Purchase of other than proposed product
	would incur substantial cost in re-training. (Explain in detail below or attached)
5.	Purchase of this item/service is of an urgent nature because it is essential to public health & safety. (Describe in
	detail below)
6.	Unable to obtain 3 or more quotes for item/service (Explain in detail below or attached)
7.	Competitive negotiation (or quotes) is either not practicable or not fiscally advantageous, as described below.
8.	Confirming Purchase Order (Explain reason for expenditure without issuance of PO below)

## Explanation:

The Parks and Recreation Department is requesting a waiver of purchasing procedures for the yearly elevator maintenance agreement, based on the equipment, controls and software it is Sole Source. The existing equipment and system is only available by the original manufacturer. Any third party entities may void current warranty. 100-107-1071-17130-43308

